

# TYPICAL LEFT TURN CHANNELIZATION NUMBER OF LEGENDS REQUIRED BASED ON THE LENGTH OF APPROACH LINES

**APPROACH LINE LENGTH** 

LESS THAN 50 FEET 50 FEET-120 FEET

125 FEET-300 FEET

**OVER 300 FEET** 

LEGEND(S)


1 ARROW AT X-WALK END OF POCKET

2 ARROWS

3 ARROWS (SECOND LEGEND LOCATED

MIDWAY BETWEEN FIRST AND LAST LEGENDS)

ADDITIONAL ARROWS SPACED AT APPROX. 100 FT INTERVALS BETWEEN FIRST AND LAST LEGENDS



# TYPICAL TWO WAY LEFT TURN LANE LEGENDS NUMBER OF LEGEND SETS REQUIRED BASED ON THE LENGTH OF TYPICAL TWO WAY LEFT TURN LANES

LANE LENGTH LESS THAN 50 FEET 0 FEET-300 FEET OVER 300 FEET

#### **LEGEND SETS**


1 SET (CENTERED BETWEEN BOTH ENDS OF LANE)

2 SETS


3 SETS (SECOND LEGEND LOCATED MIDWAY BETWEEN FIRST AND LAST LEGENDS)

ADDITIONAL SETS SPACED AT APPROX. 300 FT INTERVALS






TYPICAL RIGHT TURN POCKET
(BICYCLE LANE CONTINUES THROUGH
INTERSECTION)




TYPICAL RIGHT-THROUGH LANE (BICYCLE LANE CONTINUES THROUGH INTERSECTION)



## 40'-0" CENTERS TYPE II (YELLOW)





### TYPICAL TYPE I AND TYPE II TRAFFIC BUTTON (4") INSTALLATION DETAILS

TRAFFIC BUTTONS SHALL BE INSTALLED TO CONFORM WITH TYPE OF PAVEMENT MARKING AND ARE TO BE ARRANGED AND SPACED AS SHOWN ON THIS DRAWING. COLOR OF TRAFFIC BUTTONS IS TO MATCH COLOR OR PAVEMENT MARKINGS. TRAFFIC BUTTONS SHALL BE INSTALLED PRIOR TO ANY PAINT LINE INSTALLATION, EXISTING CHANNELIZATION IN CONFLICT WITH NEW OR REVISED CHANNELIZATION SHALL BE REMOVED BY METHOD APPROVED BY THE DIRECTOR OR DESIGNEE

